

Carbon Footprint of Product Report

Product Information


Product Category	Projector
Model Name	LH650
Gross Weight with Packaging (kg) *	3.9
*Excluded from the study of carbon footprint of product were CD、Manual and Quick Start Guide.	



Product Carbon Footprint by Life-Cycle Stage

Stage	GHG Emissions (kg CO ₂ -e)	Percentage (%)
Raw Materials	71.99	93.18%
Manufacture	5.26	6.81%
Transportation	0.01	0.01%
Total	77.26	100.00%

The "Cradle-to-Gate" product carbon footprint is calculated by Qisda Carbon Management Platform System, which has passed third-party verification for the calculation of carbon emissions.



Methodology

System Boundary*	Cradle-to-Gate
Referenced Standard	PAS 2050:2011
LCA Tool	Simapro 7.2

*The assessment includes life cycle stages from the extraction or acquisition of raw materials to the point at which the product leaves the organization undertaking the assessment

Product Specification

Native Resolution	1920(H) x 1080(V)
ANSI Brightness (Min.)	3200 ANSI lumens
ANSI Brightness (Marketing)	4000 ANSI lumens
ANSI Uniformity (Min.)	min.: -50%
JBMA Uniformity (Typical)	65%
FOFO Contrast Ratio (Min.)	min.: 1500 :1 (native, Bright mode)
Lamp	Laser
Lamp Life	20k hrs

Company Information

Qisda Corporation
157 Shan-ying Road, Gueishan Taoyuan 333, Taiwan, R.O.C.
http://qisda.com

