


BenQ DISPLAY




DuoBoard
Create x Collaborate



Streamline your workplace

DuoBoard consolidates and replaces multiple office technologies, making it a cost-effective all-in-one solution that enhances collaboration, communication, and teamwork.



- Remote whiteboarding
- Easy sharing
- Multi-touch screen



Whiteboarding

Brainstorm simultaneously on DuoBoard's EZWrite, an intuitive cloud whiteboard packed with collaboration features.

- 4K Ultra HD
- Eye-care technologies
- Two-way casting & control



Display & Presentation

Display content in 4K Ultra HD clarity while controlling the screen from both the DuoBoard or your device.

- Multi-platform support
- Built-in camera and mic
- Cloud-based collaboration



Video Conferencing


Instantly host video calls using the built-in camera and mic array or use DuoBoard's cloud-linked features to collaborate remotely.



Collaborate freely

Collaborate without limits of space or compatibility. DuoBoard's **Collaboration+** features allow teams to use it according to their working style.

Co-creation



Duo Users


With a large workspace that can be further expanded through screen casting or cloud whiteboarding, you can have several peers collaborate in real time either in person or remotely.

Screen configuration



Duo Boards

Double your workspace by merging two DuoBoards. Just pair two DuoBoards together to enjoy extra whiteboard space and easy file sharing.



Duo Axis

Change the screen orientation to fit your project needs. A vertical DuoBoard is perfect for mobile screen casting.

Workspace configuration



Collaborate on EZWrite while on a video call



Adjust the window size for more space



Open another window for reference while whiteboarding



Run any software in the OS window



Adjust the window size or move of the OS window for better viewing



Use EZWrite with any video conferencing solution



Duo Windows

Split the workspace into two windows, allowing users to work on two different applications side by side at the same time.



Duo OS

Pull up a different OS window on the same workspace. Users no longer need to keep switching between two devices when multitasking.


Screen casting & control




Cast a DuoBoard screen to other devices



Cast a device to a DuoBoard and other devices



Multiple devices cast to a DuoBoard



Multiple devices cast to a DuoBoard and other devices



Duo Cast

Cast your device screen onto the DuoBoard and vice versa. Users have the option to control the shared screen on the DuoBoard or on their own personal device.

DuoBoard Tools & Peripherals



EZWrite

EZWrite whiteboard's annotation, media, and recording tools allow teams to explore ideas freely both in person and remotely.



Floating tool

Launch the floating tool to annotate, take screenshots, record sessions, or quickly access EZWrite or the file explorer.



InstaShare

InstaShare lets teams wirelessly present on the DuoBoard using their devices, while guaranteeing full audio and video fidelity.



Active pens

Use the smart pens to write and interact with objects on the screen. They also double as pointers or clickers for presentations.

Collaboration+ suits your style

	Whiteboarding	Video conferencing	Remote collaboration	Presentation	Display
Duo Boards	✓	✓		✓	✓
Duo Windows	✓	✓	✓	✓	✓
Duo OS	✓	✓	✓	✓	✓
Duo Cast		✓	✓	✓	✓
Duo Axis	✓	✓			✓
Duo Users	✓	✓	✓	✓	✓

Easy info look up

Use **Duo Windows**, **Duo OS**, or **Duo Boards** to open a web browser or other references without disrupting your current progress.

More room to work

Get more hands on deck. Extend your workspace and include even more collaborators through either **Duo Boards** mode or **Duo Cast**.


Complex multi-tasking

Plug in an external device to use non-Android apps, such as graphic editors or other specialized software, through **Duo OS**.

Improve your office life

Boost the quality of life at your workplace. Not only is DuoBoard easy to use and manage, it also enhances information security while protecting employee health with every use.

Device management



Real-time analytics

Track how each DuoBoard is utilized, including active hours and app usage, through detailed analytics.



Over-the-air updates


OTA updates ensure that your DuoBoard receives the latest features and security updates.



Flexible management

BenQ's **Device Management Solution (DMS)** lets you remotely install apps and manage all of your displays.

Employee health



Germ-resistant screen

DuoBoard's screen has a non-toxic nano-ionic silver coating that greatly reduces the spread of germs.



Eye-care technology

Its anti-glare screen is fitted with flicker-free and low blue light technologies that prevent eye strain.



Air quality sensor

Monitor CO₂ levels in the workplace and adjust ventilation to ensure productivity.

Information security



Access authorization

Use BenQ's **Account Management System (AMS)** to manage user profiles and log in with NFC cards.



Secure network access

Configurable network security features allow for easy compliance with IoT security policies.



Antivirus protection

BenQ offers McAfee antivirus that protects the DuoBoard from potential malware infections.

	CP6501K	CP8601K
Panel		
Screen size	65"	86"
Backlight	Direct LED	
Resolution	UHD 3840 × 2160 pixels	
Brightness (typical)	320 nits	350 nits
Contrast ratio (typical)	5000:1	1200:1
Color gamut	72% NTSC	
Life time (typical)	30,000 hours	
Orientation	Landscape Portrait	Landscape
Touch screen		
Touch technology	Projected capacitive	
Bonding technology	Direct bonding	
Touch points	20	
USB-touch ports	2 × USB-B	
Glass surface		
Thickness	3 mm tempered	
Hardness	7H	
Germ-resistant coating	Nano-ionic silver	
Anti-glare coating	AG75	
System		
OS	Android 8.0	
Memory Storage	4 GB 32 GB	
Built-in peripherals		
Camera	Full HD	
Speakers	2 × 10W speakers + 16W subwoofer	
Microphone	6-microphone array	
Connectivity		
Slot-in computer	Open Pluggable Specification (OPS)	
Inputs	3 × HDMI 2.0, VGA, 3.5 mm audio, RS232	
Outputs	HDMI 2.0, SPDIF, 3.5 mm audio	
USB	3 × USB 3.0, 4 × USB 2.0	
Ethernet	1 GbE	
RS232 control	DE-9	
Built-in sensors		
Sensors	NFC, motion, air quality, ambient light, IR	
Power		
Power	AC 100V-240V 50/60 Hz	
Consumption (typical stand)	210 W 0.5 W	350 W 0.5 W
Physical		
Weight (product shipping)	43.2 kg 58.5 kg	71.5 kg 97.9 kg
Dimensions (W × H × D)	1503 × 909 × 85 mm	1962 × 1167 × 85 mm
Mount	VESA 600 × 400	

	CP6501K	CP8601K
Software		
Whiteboarding	EZWrite	
Wireless screen sharing	InstaShare 2.0	
Account management	AMS	
Device management	DMS Cloud + DMS Local	
Wireless broadcast system	X-Sign Broadcast	
Languages	English, Danish, Dutch, Finnish, French, German, Italian, Norwegian, Spanish, Swedish, Arabic, Czech, Greek, Hungarian, Indonesian, Japanese, Korean, Persian, Polish, Portuguese, Romanian, Russian, Simplified Chinese, Thai, Traditional Chinese, Turkish, Vietnamese	
Accessories		
Included	Remote control (TRY01), power cord, HDMI cable, VGA cable, USB-touch cables, quick start guide, online user manual	
Optional	InstaShow, WiFi dongle, OPS computer, mobile stand	



CP6501K



CP8601K

BENQ DISPLAY

© 2020 BenQ Corp. Specifications may vary by region, please visit your local stores for details. Actual product's features and specifications are subject to change without notice. This material may include corporate names and trademarks of third parties which are the properties of the third parties respectively.

<https://www.benq.com/>

